



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/565,049

01/17/2006

Kristen E. Belmonte

PU60400

6150

20462

7590

11/17/2008

SMITHKLINE BEECHAM CORPORATION
CORPORATE INTELLECTUAL PROPERTY-US, UW2220
P. O. BOX 1539
KING OF PRUSSIA, PA 19406-0939

EXAMINER

O'DELL, DAVID K

ART UNIT

PAPER NUMBER

1625

NOTIFICATION DATE

DELIVERY MODE

11/17/2008

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

US_cipkop@gsk.com

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10565049	1/17/2006	BELMONTE ET AL.	PU60400

SMITHKLINE BEECHAM CORPORATION
CORPORATE INTELLECTUAL PROPERTY-US, UW2220
P. O. BOX 1539
KING OF PRUSSIA, PA 19406-0939

EXAMINER

David K.. O'Dell

ART UNIT	PAPER
----------	-------

1625	20081106
------	----------

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The entire text of Gillett, M. K.; Snashall, P. D. "Measurement of pharmacological antagonism produced by atropine in bronchi of normal and asthmatic subjects" European Respiratory Journal 1988, 1(1), 27-33, is provided for the applicant with this communication.

/David K. O'Dell/
Examiner, Art Unit 1625

/Rita J. Desai/
Primary Examiner, Art Unit 1625